

Normenvergleich DIN/EN

DIN EN 10277-2	DIN 1652-2	DIN EN 10277-4	DIN 1652-3
S235JRG2C	Z St 37-2	C10R	---
E295GC	Z St 50-2	C15R	Cm 15
E335GC	Z St 60-2	C16R	---
S355J2G3C	Z St 52-3	16MnCrS5 1	16 MnCrS 5
	DIN 1652-3	6MnCrB5	---
C10	C10	20MnCrS5	20 MnCrS 5
C15	C15	16NiCrS4	---
C16	---	15NiCr13	---
	DIN 1652-4	20NiCrMoS2-2	21 NiCrMoS 2
C35	C35	17NiCrMoS6-4	---
C40	---		
C45	C45	DIN EN 10277-5	DIN 1652-4
C50	---	C35E	Ck 35
C60	C60	C35R	Cm 35
		C40E	---
DIN EN 10277-3	DIN 1651	C40R	---
11SMn30	9SMn 28	C45E	Ck 45
11SMnPb30	9SMnPb28	C45R	Cm 45
11SMn37	9SMn36	C50E	---
11SMnPb37	9SMnPb36	C50R	---
10S20	10 S 20	C60E	Ck 60
10SPb20	10 SPb 20	C60R	Cm 60
15SMn13	---	34CrS4	34 CrS 4
35S20	35 S 20	41CrS4	41 CrS 4
35SPb20	35 SPb 20	25CrMoS4	25 CrMoS 4
36SMn14	---	42CrMoS4	42 CrMoS 4
36SMnPb14	---	34CrNiMo6	34 CrNiMo 6
38SMn28	---	51CrV4	50 CrV 4
38SMnPb28	---		
44SMn28	---		
44SMnPb28	---		
46S20	45 S 20		